



DRAFTING SERVICES Building a new home or fixing up an old one?

Just bring your ideas and rough sketches to any Hammond Lumber Company location and our team of professional home designers will work with you to create the drawings and material list you need.

Custom Homes
 Additions
 Remodels
 Garages
 FREE consultation and material estimates
 FREE drawing after materials purchase

HammondLumber.com/Home Planning

FREE M12[™] REDLITHIUM CP2.0 BATTERY PACK 48-11-2420 (Up to \$65 Value) When you purchase any M12[™]

heated gear (kit or bare tool) See details at Milwaukeetool.com

\$**149** M12TM TOUGHSHELL HEATED VEST

Extended waistline and drop-tail back prevents riding up while working. Vest only; no battery. Sizes Med. - 2XL. No. 304G-20 (304G-20X, 304G-20L, 304G-20XL)

\$159 M12™ HEATED HOODIE

A hidden battery pass-thru pocket construction allows for front or back battery placement. Sizes Med. - 2XL. (306B21M, 306B21L, 306B21XL, B306212X)

\$**1999** M12™ TOUGHSHELL HEATED JACKET One-touch LED controller

Media

with (3) heat settings per zone (High, Medium, Low). Sizes Med. - 2XL. No. 304G-212 (2048-212x, 2048-212L, 2048-21M, 2048-21XL)

SEE ALL OF OUR HOME PACKAGES ONLINE AT WWW.HAMMONDLUMBER.COM

Copyright © 2023 Circulars Unlimited. All Rights Reserved. www.circulars.com



18" POLY SNOW SHOVEL

36" steel handle with poly grip. 16.5"W x 14.5"H blade. NO. 27PBG (RUGG27PBG)

18" NORDIC POLY SNOW SHOVEL

Extra-long wood handle. 5 year limited warranty. NO. NPM18D (GFPS)

RAKE

Sturdy 24" x 6" lightweight poly blade. 3-section aluminum handle extends to 16'. NO. GPRR24U (GRR) While supplies last

MARKER

3-1/4" 2-sided reflector. 48" twisted aluminum rod. Red or Blue. No. DM-100-R-48 (02906910236) NO. DM-100-B-48 (BLUEREFLECT)



FROST

BREAKER


No. 1788-M, 1788-L, 1788-XL (KINC01787M) (KINC01787L) (KINC01789X)

GLOVES

Kinco 🖯



4-FT x 100-







Q99



RULIUS 99

(MG24)

FISKARS®

24" PUSH BROOM **W/SOUEEGEE**

Durable rubber squeegee blades work on oil as well as water. No 1230 (EID1004616)

STA-BIL

STORAGE

UEL STABILIZER

10 Oz. Keeps stored gas indefinitely.

Prevents gum and varnish build-up

that can choke off fuel lines.

Treats 25 gallons. (100526)

医 描表

STA-BIL

LAWN & LEAF BAGS

40 count. 39 gallon. .9 mil. Black. No. 1124912 (RUF618871)

STA-BIL

360

MARINE

8 Oz. Fuel system cleaner. Cleans

power robbing deposits from fuel

lines, carburetors, fuel injectors

and intake valves. (STABILET)



99 24" LEAF RAKE

Uniquely curved, extra-wide tines transport leaves without clogging. (FK96605935)



All products are while supplies last.

WD-40



MAKE SMART CHOICES FOR YOUR HOME'S HEATING






OIL-FILLED 1500W/5200 BTU.

ELECTRIC UTILITY HEATER 750/1500W. Fan-only setting. Automatic thermostat. Power indicator light







600W/900W/1500W heat settings. 1 Year Warranty. No. EOF212 (EOF261) Brand May Vary

WOOD

HEATER

7 Fin heating

elements



No. EUH341 (EUH341)



Imperial

Easy to burn. Consistent in size and quality. No. 13605-013, 13608-013 (AG05904037) (AG05904036)

Not available at all locations. Allow 7 days for delivery.





Cleans warm and cool ash out of fireplaces, wood and pellet stoves and BBQ grills. Heat-resistant filter system captures the finest dust and ash. No. PAVC101 (SV4041200)



Port asiNe

GAL. ASH CONTAINER AND SHOVEL SET

Durable black matte finish. Steel bail. Turned wooden handle for carrying comfort. Double bottom for safety. No. BAP-KIT (EW1280287)





9V battery (included). Convenient test button and low battery signal. 3 year limited warranty. No. FG200B (02905421200)



9V battery (included). Test/silence button silences the alarm, unit monitors and re-alarms if carbon monoxide levels persist. 5 year limited warranty. UL listed. No. CO400 (FCD3NCN)

4: Hammond Lumber Company



599

WRAP.ON

99

999 **40**99

36" ALUMINUM DOOR BOTTOM

'99

Provides exceptional barrier against drafts, dust, moisture and insects. Includes screws. (688309) **36" Cold** (TWA5836H) **10.99**

INSULATION TAPE

DIPE

2" x 15'. On cold pipes, stops sweating and dripping. (FKFV15)

WRAP

SWITCH & F OUTLET P WEATHER STRIP

4 single switch and 8 single receptacle strips per package. (4535936)

PIPE-GUARD

1/2" thick. Suitable for use on hot and cold water pipes. (GWI25)

HEATING CABLE

Keeps water flowing down to -40°F (-40°C). Power indicator light! Energysaving thermostat. (242027) GUTTER DE-ICER

Keeps gutters and downspouts flowing to prevent roof damage and leaking. (378403)



All products are while supplies last.





toughest job yet conveniently folds away and stores almost anywhere. (PM3300)



Each individual unit can support 1500 lbs. More length means more stability. (PM4500) **2099 SPOT/FLOOD LED HEAD LAMP** 450 lumens. Includes (3) AAA batteries. No. 2104 (2104) **\$59** LED USB RECHARGEABLE COMPACT FLASHLIGHT 800 lumens. No. 2160-21 (2160-21)



MITER SAW KIT

Features an efficient bevel gear transmission and has the ability to capture up to 94% of dust. Includes battery and charger. No. DCS781X1 (DCS781X1)

2.5 GALLON CORDLESS AIR COMPRESSOR KIT

Drives up to 1,220 nails per charge. OneTurn™ regulator for fast, accurate pressure adjustments. Includes battery and charger. No. DCC2560T1 (DCC2560T1)

12" DOUBLE BEVEL SLIDING MITER SAW

15-amp 3,800-RPM motor. Miters 60° to the right and 50° to the left. No. DWS780 (DWS780)

FRAMING NAILER KIT

Drives nails from 2 in. to 3-1/2 in. 33° magazine holds up to 55 paper collated nails. Tool-free depth adjustment. Includes battery, charger and carry kit. No. DCN692M1 (DCN692M1)



6: Hammond Lumber Company



jobs around the garage, home, renovations and jobsite. No. CMXEVBE17590 (CMXEVBE17590)

extra power for large projects in the garage, shop and on the jobsite. No. CMXEVBE17595 (CMXEVBE17595)

The ideal solution for tackling extra-large cleanups around the garage, shop and jobsite. NO. CMXEVBE17596 (CMXEVBE17596)

NOTHING BUT HEAVY DUTY





Generates the power of a 15A Corded Saw, 24-1/2" of rip capacity and up to 600 linear feet of cutting per charge. No. 2736-21HD (2736-21HD)



Powerful table saw has 15A saw with 4 hp and 3650 rpm, for rip cutting and cross cutting of fine and rough materials. No. B4100XC-10 (B410010)

\$549 10" JOBSITE TABLE SAW W/ROLLING STAND

ARROW.>

9

Rack & Pinion Telescoping Fence System. Make fence adjustments fast, smooth and accurate. Patented material support, can be used for narrow rip cuts. NO. DWE7491RS (DWE7491RS

\$409 8-1/4" JOBSITE PORTABLE TABLE SAW

15 Amp, 5800 rpm motor. 24.5 in. of rip capacity for ripping 4x8 plywood or OSB sheets. No.DWE7485 (DWE7485)



M18™ FUEL™ RECIPROCATING SAW

HOOK & LOOP

soft start controls start up speed to

RANDOM ORBIT SANDER

7,000-12,000 OPM. 3-amp motor. Electronic

eliminate swirl marks. No. 6034-21 (6034-21)

15 amp corded. Provides overload protection to prevent damage to the tool and battery. No. 2722-20 (2722-20) Bare Tool.

M18™ FUEL™ 7-1/4" CIRCULAR SAW

Weighs up to 40% less than corded saws while delivering up to 300 cuts per charge. No. 2731-20 (2731-20) Bare Tool.

M18™ FUEL™ 4-1/2"/5" GRINDER

Brushless motor provides up to 10 times longer motor life. No. 2880-20 (2880-20) Bare Tool.

BRUSHLESS **MULTI-TOOL**

4.2° dampening technology for lowest full tool vibration. Tool free blade change. No. 2836-20 (2836-20) Bare Tool.

4-1/2" SMALL ANGLE GRINDER

7.5-amp motor. 10,000-RPM no-load speed. Motor overload protection and power for daily applications. Multi-port exhaust reduces motor burnup. Tool-free, burst-resistant guard. No. 6140-30 (6140-30)



8-amp motor. Variable speed control. Heavy-duty keyed chuck for strong gripping. Variable speed control. 360° locking side handle. 2-finger trigger. No. 0299-20 (0299-20)



Exclusive 8-position locking main handle adjusts to the cutting application. Cushion front grip/ rear handle. No. 6390-21 (M639021)

All products are while supplies last.

Milwaukee



EASYLAY''' UDL BASIC SYNTHETIC ROOF UNDERLAYMENT

1,000 Sq. Ft. Roll. Excellent resistance to the elements. (TARCOBASIC)

JIFFY SEAL® ICE & WATER GUARD HT Self-sealing. Use beneath shakes, shingles, metal panels and slate roofs.

ARMOURGARD ICE & WATER BARRIER

3'x65'. Helps prevent roof leaks! Protect against water leakage due to ice dams and winddriven rain. (ARMGUARD)





OWENS CORNING ®

CALL FOR PRICING



(PROTECTO)

TRU DEFINITION® DURATION® SHINGLES

Provides greater contrast and dimension to any roof. Available in popular colors with bold, lively contrast and complementing shadow lines for added dimension. Features a Limited Lifetime Warranty, 130-MPH Wind Resistance Limited Warranty, and an Algae Resistance Limited Warranty. Comes with the advanced performance of patented SureNail® Technology. Colors available: Sierra Gray, Estate Gray, Onyx Black, Driftwood, Brownwood, Chateau Green or Desert Tan.



) FEIT Electric

199 2000XL LED CORDED WORKLIGHT Water and dust resistant with cast

metal housing and a heavy duty power cord. No. WORK2000XLPLUGF (WORK2000XL)

3000XL LED CORDED

Water and dust resistant with cast metal housing and a heavy duty 18/3

power cord. No. WORK3000XLPLUGF

WORKLIGHT

(WORK3000XL)





metal housing and a heavy duty power cord. No. WORK5000XLPLUGF (WORK5000XL)

પુય



LED

WORKLIGHT Water and dust resistant, features shock-resistant aluminum housing and a heavy duty 18/3 cord. No. WORK3000XLTPLUG (WORK6000XLT)



)FEIT Electric LED SMART BULB Soft white. 60w equivalent w/battery back-up. Reliable, rechargeable emergency lighting turns

on even if you lose power.

(EJD3002220)

RIGHT PRICE

EVERYDAY!

SAVING YOU MORE



WE HAVE ALL YOUR ELECTRICAL NEEDS. JUST ASK!



FLOOD LIGHTS

Color-consistent. low-heat. durable and has long life. Warm White. No. PAR3875/10KLED2 (EJD3765658)

CORD

16/3. Vinyl jacket resists moisture and abrasions. UL listed. Green. No. 990394 (0165697)

80' OUTDOOR

CORD 16 gauge. Water resistant. Durable, flexible cord. Orange. No. 3504396 (6527752)

POWER



DURACELL' BATTERIES DURACELI DURACELL DURACELL 99 YOUR CHOICE 5 YEARS 10 HARS DURACELL DURACEL DURACELL DURACELL

DURACELL BATTERIES

YOUR

CHOICE

Coppertop, long lasting batteries. Choose from 9V, 1-Pk., C, 2-Pk. D, 2-Pk., or AAA, 4-Pk. or AA, 4-Pk. (MN1604B1Z, MN2400B4Z, MN1500B4Z, MN1300B2Z, MN1400B2Z)



20



99

799



299



4-PK. CLEAN RELEASE PAINTER'S TAPE

1.41" x 60 Yd. Medium adhesion for 14-day removal. (SH240460)

5-IN-1 PAINT TOOL

Sharp scraper blade, putty remover and spreader. Halfround cutoff. Sharp point opens cracks for patching. (HYD02970)

1/2-OT. READY PATCH

Fill & smooth plaster cracks & breaks. No. 04428 (ZIN04428)



10: Hammond Lumber Company









899 10.1 OZ. SEAL 'N







STAINS & ODOR

10.1-0Z. LATEX WINDOW GLAZING

Ready to use. Used for face glazing single panel glass in wood, metal or aluminum window frames. (07079812049)

PEEL SEALANI

Waterproof. Won't damage painted surfaces. Seals drafty windows, doors & other seasonally used areas inside & outside the home. (162909)

PRIMER SEALER

Water-base. Interior/exterior use. Mold and mildew resistant. Dries in 1 hour. No. 0904 (BINQ)

PRIMER SEALER

Oil-based. Blocks heavy stains and odors. Multi-surface. Interior/exterior use. No. 10002 (05165210002)



All products are while supplies last.



- 5/8" roof sheathing
- 25 Year three tab shingles
- 4 Single hung vinyl windows
- 1- 3'0" x 6'8" Premium steel door
 3- 9' x 7' Steel, non-insulated classic raised panel garage doors
- 2 x 4 x 8 Framing 16" on center 24" on-center option
- 7/16" OSB wall sheathing
- 5/8" roof sheathing
- 10/12 Attic trusses (14' x 8' Room)
- 6 Single hung vinyl windows
- 25 Year three tab shingles • 2- 9' x 7' Steel, non-insulated classic
- raised panel garage doors

- 2 x 4 x 10 Framing 16" on center 7/16" OSB wall sheathing
- 5/8" roof sheathing
- 12/12 Attic trusses (13'8" x 8' Room)
- 25 Year three tab shingles
- 4 Single hung vinyl windows
- 2- Vinyl 10 lite garage door transoms
- 2-9' x 8' Steel, non-insulated classic
- raised panel garage doors

STYLES AND CUSTOM OPTIONS FOR EVERY NEED!

Hammond Lumber Company provides the highest quality garage packages available. We offer a variety of styles at prices you'll appreciate. We have a full fleet of delivery vehicles so you'll receive your materials in a prompt and efficient manner. Contact our expert team for more information!

*See all of our package options at Hammondlumber.com - Prices subject to change.



Call for "Jelekate

Wrangler: 24' x 24' 2-Bay

- x 4 x 8 Framing 24" on center
- 7/16" OSB wall sheathing
- 5/8" roof sheathing
- 25 Year three tab shingles
- 2- Single hung vinvl windows
- 2- 9' x 7' Steel, non-insulated classic raised panel garage doors

Call for Updated

Highlander: 28' x 36' with Living Space

- 2 x 4 x 10 Framing 16" on center
 7/16" OSB wall sheathing
 5/8" roof sheathing
- Gambrel trusses with 8' ceiling, see salesperson for design details
- Stair framing material with landing
- 25 Year three tab shingles
- 6 Single hung vinyl windows
- 2-9' x 8' Steel, non-insulated classic raised panel garage doors

Call for Updated Prices 🕻

Cheyenne: 26' x 40' 3-Bay

with 2nd floor

- 2 x 4 x 10 Framing 24" on center
- 7/16" OSB wall sheathing
- 5/8" roof sheathing
- 25 Year three tab shingles
- 4 Single hung vinyl windows
- 3- 9' x 8' Steel, non-insulated classic raised panel garage doors

SEE OUR COMPLETE LINEUP AT WWW Hammondlum



12: Hammond Lumber Company